


1,000mg/4oz Lac/Euc Balm

Sample ID: 2604NBL0630.1673
Matrix: Topical
Type: Salve
Sample Size:
Date Collected:

Received: 04/09/2026
Completed: 04/13/2026
Expires: 04/13/2027
External Lot ID:
Batch#: 5H04062603-01

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com



Summary

Test	Date Tested	Result
Cannabinoids	04/10/2026	Complete

Cannabinoids

Complete

ND Total THC	ND Δ9-THC	1,042.732 mg/unit Total CBD	1,042.732 mg/unit Total Cannabinoids
------------------------	---------------------	---------------------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	51.9544	77.932	ND	ND	ND
9R-HHC	51.9544	77.932	ND	ND	ND
(6aR,9S)-d10-THC	51.9544	77.932	ND	ND	ND
9S-HHC	51.9544	77.932	ND	ND	ND
CBC	51.9544	77.932	ND	ND	ND
CBCa	51.9544	77.932	ND	ND	ND
CBD	51.9544	77.932	1042.732	8.83672	0.974
CBDa	51.9544	77.932	ND	ND	ND
CBDV	51.9544	77.932	ND	ND	ND
CBDVa	51.9544	77.932	ND	ND	ND
CBG	51.9544	77.932	ND	ND	ND
CBGa	51.9544	77.932	ND	ND	ND
CBN	51.9544	77.932	ND	ND	ND
CBNa	51.9544	77.932	ND	ND	ND
Δ8-THC	51.9544	77.932	ND	ND	ND
Δ9-THC	51.9544	77.932	ND	ND	ND
THCa	51.9544	77.932	ND	ND	ND
THCp	51.9544	77.932	ND	ND	ND
THCV	51.9544	77.932	ND	ND	ND
THCVa	51.9544	77.932	ND	ND	ND
Total THC			ND	ND	ND
Total CBD			1042.732	8.83672	0.974
Total			1042.732	8.83672	0.974

Date Tested: 04/10/2026
Density: 1 mL = 0.907 g, Unit Mass: 107.026 g, 1 Unit = 4 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley Phillips

Ashley Phillips
Laboratory Director
04/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.